

Page 1 of 1

All amounts are calculated in domestic currency.

em Types

Total Received Quantity:	24.0000
Total Qty to Inspect (PO U/M):	0.0000
Total Reject Quantity:	0.0000
Total Receipt Value:	\$0.00
Total Balance Due Quantity:	0.0000



14 Connor Lane, Deer Park, NY 11729 Tel: 631.761.6200 Fax: 631.761.6201

Customer PO #	Order Date	SP
36212	05/05/17	AB

Sales Order Number	43221
Invoice Date	5/10/2017
Invoice Number	62250

Ship To:
DART AEROSPACE LTD. 1270 ABERDEEN STREET HAWKESBURY, ON K6A 1K7 CANADA

# Pkg.	1 BUNDLE
Weight	100 LBS

Ship Date	Shipped Via	Test Reports
5/10/2017	JOURNEY	Y

Item #	Order Qty	U/M	Description	Qty Shipped	Bal. on Order
1	12	FT	7075 T-6 ALUMINUM 1.5" SQUARE BAR MILL: ARCONIC LOT #: MA20161797	12	0
2	12	FT	7075 T-6 ALUMINUM 1.25" X 2" FLAT BAR MILL: ARCONIC LOT #: MA017000820	12	0

8275-18

PACKING LIST
CERTIFICATE OF COMPLIANCE

We certify that the materials described above conform to the specifications stated.

Cathie Vail

Quality Control Manager

04/05/17 10:06:01



ARCONIC

Arconic Inc.
ARCONIC FORGINGS AND EXTRUSIONS
45 County Route 42, Massena, NY 13662

Govt. Contract No.

Arconic Order No.

Customer Part No.

Customer P.O. No.
P70310KK132

Ship To
DIVERSIFIED INDUSTRIAL PRODUCTS
14 CONNOR LANE
DEER PARK, NY 11729

We hereby certify that the material covered in this report has been inspected in accordance with, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, or as previously agreed to with customer and that samples representative of the material met the composition limits and have the mechanical properties shown on the face of this sheet.

Manufactured under a quality management system registered to ISO/TS 15949 and AS9100.
 Melted and manufactured in the USA.

Joseph M. Vierno, Quality Manager

Date Shipped	04/05/17	Weight Shipped	1.972 lbs	Product	CFR8-CF SQ	Specific Length	80L
Alloy - Temper	7075-T651	Size	1.5000 IN	Shape	SQ	Config	QRR
							12 FT

Specifications:

ASTM B211-12E1
AMS 4123H
QQ-A-226/8E
AMS QQ-A-226/9
Material conforms

DAS 14 17/05/99

TEST REQUIREMENTS											
	Test	Test	Test	Test	Test	Test	Test	Test	Test	Test	Test
	U.T.S.	7.Y.S.	%Elong								
Max:											
Min:	77.0	65.0	07.0								

Fast Results

No. of

Lat / Work Order
MA20161797

When 2 or more tests per lot are made, the highest and lowest values are reported. Analysis obtained from one or more samples in this lot.

TEST ABBREVIATIONS

U.T.S. Ultimate Tensile Strength KSI

Aluminum Association Chemical Composition Limits (in Weight %)

	%SI	%FE	%CU	%Mn	%MG	%CR	%ZN	%TI	%Others	%AL
MAX	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	Rem
MIN			1.2		2.1	0.18	5.1		Each	Total

Actual Started Chemistry

LOT/WORK ORDER		%SI	%FE	%CU	%MN	%MG	%CR	%ZN	%TI	%OE	%OT	%AL
MAX		0.07	0.14	1.6	0.02	2.5	0.19	5.8	0.03	LT 0.05	LT 0.15	Rem
MIN		0.07	0.14	1.6	0.02	2.5	0.19	5.8	0.03			

**DIVERSIFIED INDUSTRIAL PRODUCTS CORP.
CERTIFY THIS A TRUE COPY OF THE
MILL TEST REPORT USED TO FILL YOUR
ORDER.**

DART AEROSPACE LTD.

Company

PO#

Our Inv. #

City.

Part #

1000

QC Dept.

Price 1

Certified Inspection Report

04/05/17
10:06:01

Arconic Inc.
ARCONIC FORGINGS AND EXTRUSIONS
45 County Route 42, Massena, NY 13662



Customer	Customer P.O. No.	Customer Part No.	Arconic Order No.	Govt. Contract No.
DIVERSIFIED INDUSTRIAL PRODUCTS	P70310KK132		MMC-C2530-010	

NOTES:

Ingot Source: Massena
Material compliant with DFARS 252.225-7001 (Buy American Act)
Mercury is not a normal contaminant in aluminum alloys and neither is it nor any of its compounds are used in the manufacture of our product.
This alloy meets the requirements of EU 2011/65/EC (RoHS) and EU 2000/53/EC for lead, mercury, cadmium and hexavalent chromium.

THESE ITEMS ARE CONTROLLED BY THE U.S. GOVERNMENT AND AUTHORIZED FOR EXPORT ONLY TO THE COUNTRY OF ULTIMATE DESTINATION FOR USE BY THE ULTIMATE CONSIGNEE OR END-USER(S) HEREIN IDENTIFIED. THEY MAY NOT BE RESOLD, TRANSFERRED, OR OTHERWISE DISPOSED OF TO ANY OTHER COUNTRY OR TO ANY PERSON OTHER THAN THE AUTHORIZED ULTIMATE CONSIGNEE OR END-USER(S), EITHER IN THEIR ORIGINAL FORM OR AFTER BEING INCORPORATED INTO OTHER ITEMS, WITHOUT FIRST OBTAINING APPROVAL FROM THE U.S. GOVERNMENT OR AS OTHERWISE AUTHORIZED BY U.S. LAW AND REGULATIONS.

MATERIAL IS OF U.S.A. ORIGIN AND WE HEREBY CERTIFY THE PRICES TO BE TRUE AND CORRECT.

Certified Inspection Report

02/10/17
09:15:33

Arconic Inc.
ARCONIC FORGINGS AND EXTRUSIONS
45 County Route 42, Massena, NY 13662



Arconic Order No. **MMC-C1895-008**
Govt. Contract No.

Customer P.O. No. **P70112KK126**
Customer Part No.

Customer
DIVERSIFIED INDUSTRIAL PRODUCTS

NOTES:

Ingot Source: Massena
Material compliant with DFARS 252.225-7001 (Buy American Act)
Mercury is not a normal contaminant in aluminum alloys and neither is it not any of its compounds are used in the manufacture of our product.
This alloy meets the requirements of EU 2011/65/EC (RoHS) and EU 2000/53/EC for lead, mercury, cadmium and hexavalent chromium.

THESE ITEMS ARE CONTROLLED BY THE U.S. GOVERNMENT AND AUTHORIZED FOR EXPORT ONLY TO THE COUNTRY OF ULTIMATE DESTINATION FOR USE BY THE ULTIMATE CONSIGNEE OR END-USER(S) HEREIN IDENTIFIED. THEY MAY NOT BE RESOLD, TRANSFERRED, OR OTHERWISE DISPOSED OF TO ANY OTHER COUNTRY OR TO ANY PERSON OTHER THAN THE AUTHORIZED ULTIMATE CONSIGNEE OR END-USER(S), EITHER IN THEIR ORIGINAL FORM OR AFTER BEING INCORPORATED INTO OTHER ITEMS, WITHOUT FIRST OBTAINING APPROVAL FROM THE U.S. GOVERNMENT OR AS OTHERWISE AUTHORIZED BY U.S. LAW AND REGULATIONS.
MATERIAL IS OF U.S.A. ORIGIN AND WE HEREBY CERTIFY THE PRICES TO BE TRUE AND CORRECT.

ARCONIC HAS DETERMINED THAT THIS PRODUCT IS CLASSIFIED AS EAR99 ACCORDING TO THE EXPORT ADMINISTRATION REGULATIONS GUIDELINES. SPECIFIC END USE IS STOCK.

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075TL B1250X2.00 PO / BATCH NO.: 36212/137542
 DATE: 17/05/19

MATERIAL CERT REC'D: YES
 QUANTITY RECEIVED: 12'
 QUANTITY INSPECTED: 12'
 QUANTITY REJECTED: _____

THICKNESS ORDERED: 1.250
 THICKNESS RECEIVED: 1.250
 SHEET SIZE ORDERED: _____
 SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL	(Y) N	7075TL
CORRECT THICKNESS	(Y) N	1.250
PHOTO REQUIRED	Y (N)	
CORRECT MATERIAL	(Y) N	AMS QQ-A-225/9A
CORRECT REF # TO LINK CERT	(Y) N	HEAT# M4017000820
CORRECT MATERIAL IDENTIFICATION	(Y) N	M7075TL B1250X2.00
CORRECT M# ON THE MATERIAL	(Y) N	MB7542
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u> <u>14</u> <u>9-89</u>	SIGNED OFF BY: _____	
DATE: <u>17/05/19</u>	DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075TL6B1.500X1.500 PO / BATCH NO.: 36212/132542
 DATE: 17/05/19

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12'
 QUANTITY INSPECTED: 12'
 QUANTITY REJECTED: _____

THICKNESS ORDERED: 1.500
 THICKNESS RECEIVED: 1.500
 SHEET SIZE ORDERED: _____
 SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL	(Y) N	7075TL6
CORRECT THICKNESS	(Y) N	1.500
PHOTO REQUIRED	Y (N)	
CORRECT MATERIAL	(Y) N	AMS DD-A-225/9A
CORRECT REF # TO LINK CERT	(Y) N	HEAT# MA20161797
CORRECT MATERIAL IDENTIFICATION	(Y) N	M7075TL6B1.500X1.500
CORRECT M# ON THE MATERIAL	(Y) N	M137542
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 14 9-80</u> DATE: <u>17/05/19</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO36212**

Purchase Order Date 5/5/2017

PO Print Date 5/5/2017

Page Number 1 of 1

Order From :

VU-DIV001

DIVERSIFIED INDUSTRIAL PRODUCTS
14 CONNOR LANE
DEER PARK, NY 117219
US

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED
MAY 05 2017

Contact Name

Vendor Phone 631 761 6200

Ship To Contact

Ship To Phone

Ship Via: Journey Freight collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M7075T6B1.500X1.500	7075 T6 BAR 1.500 x 1.500	5/15/2017 Yes 5/15/2017		12.00 f	\$18.50	\$222.00

MATERIAL: 7075-T6 OR T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11

Line Total: \$222.00

2	M7075T6B1.250X2.000	7075-T6 BAR 1.250" X 2.000"	5/15/2017 Yes 5/15/2017		12.00 f	\$22.83	\$274.00
---	---------------------	-----------------------------	-------------------------------	--	------------	---------	----------

MATERIAL: 7075-T6 OR T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11

Line Total: \$274.00

PO Total: \$496.00

Oral CL

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 2

Change Date: 5/5/2017